## **Group Computer And Network Devices**

The following table describes the group-by for Computer and Network Device type entities:

Group by	Parameter	Creates a group for each unique
Gloup by	r ar arrieter	parameter
ComputerSystem Address	Building	Creates a group for each
		unique building name.
	City	Creates a group for each
		unique city name.
	Country	Creates a group for each
		unique country name.
	Name	Creates a group for each
	D + 10 1	unique location name.
	Postal Code	Creates a group for each
	Desire	unique Zip/Postal code.
	Region	Creates a group for each
	State	unique Region.
	State	Creates a group for each unique State.
ComputerSystem	Application Name	Creates a group for each
Application	Application Name	unique System Details >
/ tppileation		Application > Application
		name attribute.
		Note: When multiple
		applications are installed,
		the system appears in
		multiple groups.
	Publisher	Creates a group for each
		unique System Details >
		Application > Publisher
	_	Name attribute.
	Туре	
	Version	Creates a group for each
		unique System Details >
		Application > Version  Number attribute.
ComputerSystem By Data	Installation Date	Creates a group for each
ComputerSystem By Date	IIIStaliation Date	unique System Details >
		Application > Version
		Number attribute.
	Month	Creates a group for each
		unique month and year of
		the General > Maintenance
		> Installation date.
	Week	Creates a group for each

		Creistes a geoloparod exam unique
Group by	Parameter	where the first day of the parameter week is the previous
		Monday, of the general >
		Maintenance > Installation
		Date.
	Weekday	Creates a group for each
		unique date of the General >  Maintenance > Installation
		date.
ComputerSystem	Availability Impact	
Classification	Confidentiality Impact	
	Criticality	Creates a group for High, Medium, and Low, or VH, H, M, L, and VL, depending on your Entity Configuration settings for criticality ratings. Groups entities by their business criticality score.
	Integrity Impact	
ComputerSystem	Domain	Creates a group for each
Description		unique Description > Identification > Domain
		Name attribute.
		Note: The System Details >
		Network Domain Name field
		is the same attribute.
	Host Name	Creates a group for each
		unique System Details >
		Network Domain Name
	Installation Date	attribute.
	Installation Date	Creates a group for each unique General >
		Maintenance > Installation
		date.
	Inventory Tag	
	Manufacturer	Creates a group for each
		unique General >
		Information > Manufacturer attribute.
		Note: The General >
		Information > Manufacturer
		and Description > Physical
		Description Manufacturer
		field are the same.
	Subtype	Creates a group for each
		unique General >

Group by	Parameter	टार्न्डकारक वर्गातिक किर्मान्डमान्यावाव
Cloup by	T di dilictoi	parameter Note: Computer and
		Network Device entity types are grouped together unless you set a filter.
ComputerSystem Network	Subnet	Creates a group for each unique subnet range. The subnet range is automatically calculated from the address settings in the System Details > Network > Network Interface Card dialog.
		Note: Overlapping ranges are grouped separately.
	Subnet Mask	Creates a group for each unique subnet mask of the System Details > Network > Network Interface Card > Subnet Mask.
ComputerSystem OperatingSystem	OS Name	Creates a group for each unique System Details > Operating System > Name attribute.
	OS Version	Creates a group for each unique System Details > Operating System > Version attribute.
		Note: Some connector discovered computers have the version number in the OS name field.
	OS Version Name	Creates a group for each unique System Details > Operating System > Version Name attribute.
ComputerSystem Vulnerability	CVSS Score	Creates a group for each vulnerability CVSS score of vulnerabilities assigned to computer and device entities.
		Note: Use a filter to match only entities with vulnerabilities, such as an entity filter with the

Group by	Parameter	Change ability from a thoughton the condition. Otherwise, the parameter unknown group includes
		both entities without vulnerabilities and entities with vulnerabilities that do not have the CVSS score set.
	CVSS Vector	
	Description	Creates a group for each unique vulnerability description. See Vulnerability > Vulnerability List > Vulnerability Details > General > Vulnerability.
	Likelihood	
	Severity	Creates a group for each severity level.
	Source	Creates a group for each vulnerability author or source.
	Type	Creates a group for each vulnerability type.