

Install the Application Server

If you want to install the application server on its own server, you will need to perform some additional configuration.

To install the application server on its own server:

1. Copy the following files to the server where the application server will be installed:

File	MySQL	Oracle
riskvision.license		
RiskVisionApplicationServerInstallation.exe		
jce_policy-8.zip		
Riskvision-part1.zip		
Riskvision-part2.zip		
Riskvision-part3.zip		

2. Double-click the `RiskVisionApplicationServerInstallation.exe` file to launch the **Resolver RiskVision MultitierServer Setup** wizard.
3. Click **Next**.
4. Check the **I accept the terms in the License Agreement** checkbox, then click **Next**.
5. Check the **Application Server (Apache Tomcat™)** checkbox. This will install the application server only.

RISK VISION
powered by **RESOLVER**

?

Welcome

License Agreement

Component Selection

Additional Details

Report Server Details

Perform Installation

Resolver RiskVision Server Component Selection

Please select one or more Resolver RiskVision server components which you would like to install on this server.

Web Server (Apache HTTP Server)

Application Server (Apache Tomcat™)

Database Server (MySQL or Oracle Database)

Report Server (TIBCO JasperReports Server)

Install Adobe Flash Player 10.0

Check this option only if you need to archive existing legacy "R6" (non-Jasper) reports or dashboards to PDF.

Cancel < Previous Next >

InstallShield

The Component Selection section of the setup wizard.

6. Click **Next**.

7. Select one of the following options:

- **MySQL Database:**

- Click the **MySQL 5.7.26** radio button to install the MySQL database.
- Enter a password for the root user in the **Root user password** field.
- Enter a password for the Agilience user in the **RiskVision user password** field.
- Enter the host name or IP address of the server in which the Tomcat application server will be installed in the **Database Server hostname** field.

RISK VISION
powered by **RESOLVER**

Welcome

License Agreement

Component Selection

Additional Details

Report Server Details

Perform Installation

Resolver RiskVision Server Component
Please provide the following required information and click on the 'Next' button to continue.

Select the database type

MySQL 5.7.26

Oracle Database 12.2.0.1

Enter the contact details of the server

Database Server Hostname :

Root user password :

Agilience user password :

InstallShield

The Additional Details section of the setup wizard.

- **Oracle Database:**
 - a. Click the **Oracle Database 12.2.01** radio button.
 - b. Enter a password for the root user in the **Database Server Hostname** field.
 - c. Click **Next**. A warning message may appear if the required TCP ports are used by the server where you are running the installer. If the warning message appears, click **Cancel**, then click **Next** to stop the installation.
- 8. Click the **Report Server Hostname** field and enter the report server hostname.
- 9. Complete one of the options below:
 - **MySQL database:**
 - a. Enter a password for the report user in the **Report user password** field and reenter the same password in the **Confirm ReportUser Password** field.
 - b. Click the **Database Port** field and enter the database port number.

RISK VISION
powered by **RESOLVER**

Resolver RiskVision Report Server Details

Please provide the details of the Resolver RiskVision Report Server and the password for the database account used for reporting.

Report Server Hostname :

ReportUser Password :

Confirm ReportUser Password :

Database Port :

Cancel **< Previous** **Next >**

InstallShield

The Report Server Details section for the MySQL database.

- **Oracle Database:**

- a. Click the Report Server Hostname field and enter the report server hostname.
- b. Enter a password for the report user in the **ReportUser password** field and reenter the same password in the **Confirm ReportUser Password**.
- c. Enter the database port number in the **Database Port** field.
- d. Enter the Oracle service name in the **Oracle Service Name** field.
- e. Click **Next**.

The Report Server Details section for the Oracle Database.

10. **Optional:** Click **Browse** to change the installation path. By default, the MySQL database is installed on `C:\Server\`. Ensure you have enough disk space if you change the installation path.
11. Click **Next** to open the **Begin Installation wizard**. If the server where you are currently running the installer does not meet the system and hardware requirements, the **Disclaimer** page will open. Continuing the installation without proper hardware could severely affect performance. Refer to the [Minimum Hardware Requirements](#) page for more information. To disregard the **Disclaimer** page, click **Accept**, then click **Next**.
12. Click **Install** to begin installing the application server. Allow sufficient time for the setup to complete the installation. When installation is complete, the RiskVision installer will display the riskvision.license path.

RISK VISION

powered by **RESOLVER**



Resolver RiskVision Installation

Congratulations! Resolver RiskVision has been installed successfully.

If you wish to install the below configuration files at this time, please enter the file location and click on the 'Next' button when done.

Resolver RiskVision License File (riskvision.license) :

C:\Users\Desktop\Main_Build\riskvision.license

[Browse...](#)

IMPORTANT: Please review the Release Notes for required post-installation steps.

I confirm that I have read the above note.

[Next >](#)

InstallShield

The Finish section of the setup wizard.

13. Review the Release Notes for required post-installation steps then check the **I confirm that I have read the above notes** checkbox.
14. Click **Next**. Click **Finish** to complete the installation.



TCP/IP port 8009 needs to be open in the Windows firewall for accessing RiskVision Application Server.

Finish

InstallShield

The completion screen of the setup wizard.