# Group Computer And Network Devices

The following table describes the group-by options for computer and network device type entities:

| Group by | Parameter | Creates a group for each unique parameter |
|---|---|---|
| ComputerSystem Address | Building | Creates a group for each unique building name. |
| | City | Creates a group for each unique city name. |
| | Country | Creates a group for each unique country name. |
| | Name | Creates a group for each unique location name. |
| | Postal Code | Creates a group for each unique Zip/Postal code. |
| | Region | Creates a group for each unique Region. |
| | State | Creates a group for each unique State. |
| ComputerSystem Application | Application Name | Creates a group for each unique System Details > Application > Application name attribute.<br><br>Note: When multiple applications are installed, the system appears in multiple groups. |
| | Publisher | Creates a group for each unique System Details > Application > Publisher Name attribute. |
| | Type | |
| | Version | Creates a group for each unique System Details > Application > Version Number attribute. |
| ComputerSystem By Date | Installation Date | Creates a group for each unique System Details > Application > Version Number attribute. |
| | Month | Creates a group for each unique month and year of the General > Maintenance > Installation date. |
| | Week | Creates a group for each |

| Group by | Parameter | Creates a week and year where the first day of the week is the previous |
|---|---|---|
| | | Monday, of the general > Maintenance > Installation Date. |
| | Weekday | Creates a group for each unique date of the General > Maintenance > Installation date. |
| ComputerSystem Classification | Availability Impact | |
| | Confidentiality Impact | |
| | Criticality | Creates a group for High, Medium, and Low, or VH, H, M, L, and VL, depending on your Entity Configuration settings for criticality ratings. Groups entities by their business criticality score. |
| | Integrity Impact | |
| ComputerSystem Description | Domain | Creates a group for each unique Description > Identification > Domain Name attribute.<br><br>Note: The System Details > Network Domain Name field is the same attribute. |
| | Host Name | Creates a group for each unique System Details > Network Domain Name attribute. |
| | Installation Date | Creates a group for each unique General > Maintenance > Installation date. |
| | Inventory Tag | |
| | Manufacturer | Creates a group for each unique General > Information > Manufacturer attribute.<br><br>Note: The General > Information > Manufacturer and Description > Physical Description Manufacturer field are the same. |
| | Subtype | Creates a group for each unique General > |

| Group by | Parameter | Creates a group for each unique parameter |
|---|---|---|
| | | Note: Computer and Network Device entity types are grouped together unless you set a filter. |
| ComputerSystem Network | Subnet | Creates a group for each unique subnet range. The subnet range is automatically calculated from the address settings in the System Details > Network > Network Interface Card dialog.<br><br>Note: Overlapping ranges are grouped separately. |
| | Subnet Mask | Creates a group for each unique subnet mask of the System Details > Network > Network Interface Card > Subnet Mask. |
| ComputerSystem OperatingSystem | OS Name | Creates a group for each unique System Details > Operating System > Name attribute. |
| | OS Version | Creates a group for each unique System Details > Operating System > Version attribute.<br><br>Note: Some connector discovered computers have the version number in the OS name field. |
| | OS Version Name | Creates a group for each unique System Details > Operating System > Version Name attribute. |
| ComputerSystem Vulnerability | CVSS Score | Creates a group for each vulnerability CVSS score of vulnerabilities assigned to computer and device entities.<br><br>Note: Use a filter to match only entities with vulnerabilities, such as an entity filter with the |

| Group by | Parameter | Vulnerability Name Not Null Creates a group for each unique condition. Otherwise, the parameter unknown group includes |
|---|---|---|
| | | both entities without vulnerabilities and entities with vulnerabilities that do not have the CVSS score set. |
| | CVSS Vector | |
| | Description | Creates a group for each unique vulnerability description. See Vulnerability > Vulnerability List > Vulnerability Details > General > Vulnerability. |
| | Likelihood | |
| | Severity | Creates a group for each severity level. |
| | Source | Creates a group for each vulnerability author or source. |
| | Type | Creates a group for each vulnerability type. |