


Importing Data Feeds

In RiskVision Compliance Manager, users with Data Feed View and Manage permissions can import CSV (Excel) documents, reports from scanners or other third-party software, and delete or update them.


To import Data Feeds

1. Navigate to **Assessments > Data Feeds**. The **Data Feeds** page is displayed.



In the **Source: Manual** section, click **Import**.

2. The **Import Data Feed** page is displayed. Select an existing template for interpreting the document to upload, or create a new template. The template description is displayed. Click **Browse** to specify the local file to upload, and then click **Import** to upload the file.



When the file is imported, the **Import Data Feed** page modifies. Click **Next** to continue.

3. The **Import Data Feed** wizard appears. In the **General** wizard page, enter **Template Name** and **Description**.

Import Data Feed

- 1. General
- 2. Match Columns
- 3. Options
- 4. Preview
- 5. Imported Data Feeds

Step 1: General * = required

Enter a Template Name and Description for the new Data Feed.

Template Name* AGL_Manual_Data_Feed

Description* Imports Data Feeds Manually

Cancel < Back Next >

Click **Next** to continue.

4. The **Match Columns** wizard page is displayed. Select all data feed fields from your template that you want to map with the field. For example, if you are using a template for Asset mapping, then select 'Asset Name' for 'Asset', 'Subcontrol Name' for 'Check', 'Subcontrol Result' for 'Status', and 'Subcontrol Score' for 'Detail value'. Select the **Use for Matching** option to make the desired data feed field as a matching criteria. Optionally, you can create additional data feed and detail mappings.

Import Data Feed
✕

1. General

2. Match Columns

3. Options

4. Preview

5. Imported Data Feeds

Step 2: Match Columns * = required

Specify the Data Feed fields to map to the specified Agilience fields. Add more fields or details as needed.

Data Feed Mapping

Agilience Field	Data Feed Field	Use for Matching	Agilience Field	Data Feed Field	Use for Matching
Asset Name	Asset	<input checked="" type="checkbox"/>	Subcontrol Name	Check	<input checked="" type="checkbox"/>
IP Address	Select a column	<input type="checkbox"/>	Subcontrol Result	Status	<input type="checkbox"/>
Host Name	Select a column	<input type="checkbox"/>	Subcontrol Score	Detail value	<input type="checkbox"/>
First Seen	Select a column	<input type="checkbox"/>	Subcontrol ID	Select a column	<input type="checkbox"/>
Description	Select a column	<input type="checkbox"/>			

+ Add Additional Data Feed Mapping

Details Mapping

Agilience Field	Data Feed Field
+ Add Detail Mapping	

Cancel

< Back
Next >

Click **Next** to continue.

- The **Options** wizard page is displayed. Select the box next to the Automatically match entities and subcontrols option to match entities with subcontrols. Leaving this option may not provide the compliance score for the entities imported through data feed in an assessment.

Import Data Feed [Close]

1. General
2. Match Columns
3. Options
4. Preview
5. Imported Data Feeds

Step 3: Options * = required

Specify options.

Select options for this data feed

Automatically match entities and subcontrols

Cancel < Back Next >

You may not be able to delete data feeds that are used in compliance programs. However, you can either create a new data feed template or contact [Resolver Support](#) to delete an existing data feed.

Click **Next** to continue.

- The **Preview** wizard page is displayed. Make sure that the correctness of the data, such as properties, field matching legend, etc. is appropriate according to the data that you have uploaded from the template.

Import Data Feed [Close]

1. General
2. Match Columns
3. Options
4. Preview
5. Imported Data Feeds

Step 4: Preview * = required

Preview mapping with actual data.

Sample Data Feed
Take a look at the sample data feed below gathered from the data you have uploaded. If it looks right, click on the next button.

Properties

Asset Name: Firewall-E2	Check Name: New Sub Controls-ISC-10.1.2 ISC-11.1.1 ISO-11.6.1 ISO-11.6.1.B ISO-12.4.1 ISO-12.4.3 ISO-12.5.3 NIST-300-53-CM-5.1
IP Address: N/A	Check Result: Pass
Host Name: N/A	Check Score: 10.0
First Seen: 10-04-2011	Check Id: N/A
Description: N/A	

Field Matching Legend

Asset Name: Asset	Check Name: Check
IP Address: N/A	Check Result: Status
Host Name: N/A	Check Score: Detail value
First Seen: N/A	Check Id: N/A
Description: N/A	

Asset Identifiers
Asset Name

Cancel < Back Next >

Click **Next** to continue.

- The **Import Data Feeds** wizard page is displayed. You may delete the unwanted data feeds rather than

importing all of them. Finally, review the data feeds to import, and then click **Finish** to import data feeds manually.

Import Data Feed [Close]

Step 5: Imported Data Feeds * = required

Review your imported Data Feeds.

▼ **1 Data Feeds - 1 Unmapped**

Delete Filter by: - Show all - Refresh

<input type="checkbox"/>	Data Feed	Type	Description	Score	Status	Entity Mapping
<input type="checkbox"/>	New Sub Controls-ISO-10.1.2,ISO-11.1.1,ISO-11.6.1,ISO-11.6.1.B,ISO-12.4.1,ISO-12.4.3,ISO-12.5.3,NIST-800-53-CM-5.1	Import	N/A	10.0	Pass	Remed-E2

Status: Passed 0 Detail(s) 0 Exception(s)

Cancel < Back Next > Finish

Each imported scan will show the number of assets and subcontrols that are not mapped with it.

Resolver recommends running the **Scan Summary Update** system job before you include the data feeds in program assessments. To know the next execution time of **Scan Summary Update** job, in the Administration application, go to **Administration > Scheduled Jobs**.